



*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar




Length	720	780	840	900	960	1020	1080
L2	180	240	360				
L1	180	240	180	240	300	360	

Width	720	780	840	900	960	1020	1080	1140	1200
A	123	183	243	253	313	373	433	493	553
A'		597				647			
B		n.a.				200			
B'						200			
C	75	130	150			150			
C'				150					






*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar




Length	1140	1200	1260	1320	1380	1440
L2	240				360	
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	123	183	243	253	313	373	433	493	553
A'		597					647		
B			n.a.				200		
B'							200		
C	75	130	150				150		
C'					150				




*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar




Length	1500	1560	1620	1680	1740	1800
L2	240				360	
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				





*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar



Length	1860	1920	1980	2040	2100	2160
L2	240			360		
L1	180	240	180	240	300	360


Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				




**COLOR
KINETICS**

1860-2160 mm wall portrait mount
www.colorkinetics.com

© 2020 Signify Holding. All rights are reserved.
Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed




*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar




Length	2220	2280	2340	2400	2460	2520
L2	240				360	
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				





*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar




Length	2580	2640	2700	2760	2820	2880
L2	240				360	
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				




2580-2880 mm wall portrait mount
www.colorkinetics.com

© 2020 Signify Holding. All rights are reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed



*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar




Length	2940	3000	3060	3120	3180	3240
L2	240			360		
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				
D	360	390	420	450	480	485	495	520	550




2940-3240 mm wall portrait mount
www.colorkinetics.com

© 2020 Signify Holding. All rights are reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed



*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar




Length	3300	3360	3420	3480	3540	3600
L2	240				360	
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				
D	360	390	420	450	480	485	495	520	550




3300-3600 mm wall portrait mount
www.colorkinetics.com

© 2020 Signify Holding. All rights are reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed



*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar




Length	3660	3720	3780	3840	3900	3960
L2	240	360				
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'	535							570	600
B	140	200							
B'	200								
C	90	150							
C'	150								
D	360	390	420	450	480	485	495	520	550




3660-3960 mm wall portrait mount
www.colorkinetics.com

© 2020 Signify Holding. All rights are reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed




*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar



Length	4020	4080	4140	4200	4260	4320
L2	240			360		
L1	180	240	180	240	300	360


Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				
D	360	390	420	450	480	485	495	520	550



*available space for mounting, cables, sockets etc. space not available behind driverbox and length crossbar


Length	4380	4440	4500	4560	4620	4680
L2	240			360		
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				
D	360	390	420	450	480	485	495	520	550



Length	4740	4800	4860	4920	4980	5040
L2	240				360	
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				
D	360	390	420	450	480	485	495	520	550



Length	5100	5160	5220	5280	5340	5400
L2	240			360		
L1	180	240	180	240	300	360

Width	720	780	840	900	960	1020	1080	1140	1200
A	185	245	305	365	425	485	545	570	600
A'				535				570	600
B	140				200				
B'					200				
C	90				150				
C'					150				
D	360	390	420	450	480	485	495	520	550

