







# Luminaire and Accessories

Use Item Number when ordering in North America

Luminaire	Item Number	Item 12NC
ColorReach Powercore gen2, RGB, UL/CE	123-000153-02	912400133609
<i>Luminaire only. Values in this specification sheet represent both the luminaire and spread lens combined. Spread lens available below in Associated Part.</i>		
<b>Associated Part</b>		
5° x 17° Spread lens with bezel	120-000068-16	912400133597
<i>Trim bezel included.</i>		
<b>Accessories</b>		
Leader Cable, 100 to 277 VAC, UL, 3 m (10 ft)	108-000055-03	910503704066
Leader Cable, 100 to 277 VAC, UL, 15.2 m (50 ft)	108-000055-00	910503703137
Leader Cable, 100 to 277 VAC, CE/PSE, 3 m (10 ft)	108-000055-04	910503704067
Leader Cable, 100 to 277 VAC, CE/PSE, 15.2 m (50 ft)	108-000055-01	910503704064
Louver	120-000187-02	912400133588
Half Glare Shield	120-000187-01	912400133588
Full Glare Shield	120-000187-00	912400133587
Trim Bezel	120-000187-03	912400134263
8° Spread lens with bezel	120-000068-17	912400133598
13° Spread lens with bezel	120-000068-12	912400133593
23° Spread lens with bezel	120-000068-13	912400133594
43° Spread lens with bezel	120-000068-14	912400133595
63° Spread lens with bezel	120-000068-15	912400133596
<b>Power Supplies</b>		
Data Enabler Pro, 3/4 in / 1/2 in NPT (U.S. trade size conduit)	106-000004-01	910503701210
Data Enabler Pro, PG21/PG13 (metric size conduit)	106-000004-02	910503701211

DISCONTINUED



© 2021 Signify Holding. All rights reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed.

Color Kinetics  
[www.colorkinetics.com/global/products/rgb/colorreach/](http://www.colorkinetics.com/global/products/rgb/colorreach/)