

Date: _____

Type: _____

Firm Name:

Project: _____

DALI Dimming Module

120W, 24 V, UL/CE

DIMMING MODULE

DALI dimming module for use with Vaya Cove LP G2 Luminaires

The DALI Dimming Module is a compact, plug-and-play module that allows for easy integration of Vaya Cove LP G2 luminaires into a DALI control environment. Compliant to IEC 60 929, the DALI Dimming Module guarantees smooth, flicker-free, linear dimming down to 0%, with high efficiency and less than 0.1W standby power.



- Compact form factor
- Flicker-free 0 to 100% Dimming
- 254 Dimming levels
- High efficiency up to 97%
- Low standing power
- Terminal block connectors for easy connection

For more information, please refer to
www.colorkinetics.com/vaya/DALI-Dimming-Module/

COLOR**KINETICS**
vaya series

Specifications

Due to continuous improvements and innovations, specifications may change without notice.

Electrical

Input Voltage	24 VDC
Power Consumption	1 W
Power Output	120 W
Power Efficiency	97%

Connections

Power Input/Output	V+ and V-, DALI2, LED+ and LED- terminal blocks
Connector Type	WAGO terminal block connectors

Physical


Dimensions	21 x 40 x 61 mm (0.93 x 1.57 x 2.4 in)
<i>(Height x Width x Depth)</i>	
Weight	30 g (1 oz)
Housing	Plastic
Associated Product Family	Vaya Cove LP
Operating Temperature	-20° - 50° C (-4° - 122° F)
Storage Temperature	-40° - 85° C (-40° - 185° F)
Humidity	5 to 95%, non-condensing

Certification and Safety

Certification	UL, FCC Class A, CE
Environment	Indoor



Dimensions



Part Numbers

Use Item Number when ordering in North America.

Dimming Module	Item Number	Item 12NC
DALI Dimming Module 120W, 24 V, UL/CE	309-000003-02	912400135776

COLOR**KINETICS** **vaya**series

© 2019 Signify Holding. All rights reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed.

Color Kinetics
www.colorkinetics.com/vaya