Wiring Compartment

| Date: | | |
|------------|--|--|
| Туре: | | |
| Firm Name: | | |
| Project: | | |

4 in Diameter, Silver/Gray Housing (CE)

Developed for installations with canopy-base and landscape-mount luminaires such as Burst and Blast.

The Wiring Compartment offers ample wiring volume when mounting canopy base luminaires from Color Kinetics, including Burst Powercore Architectural and Blast Powercore.

- For installations of mounting post luminaires such as Burst Powercore Landscape, a third-party wiring compartment cover will need to be supplied.
- The Wiring Compartment is fully sealed and IP66-rated for outdoor applications.






Specifications

Due to continuous improvements and innovations, specifications may change without notice.

Physical

| 1 | | |
|--------------------------|--|--|
| Dimensions | 51 x 146 x 146 mm (2 x 5.75 x 5.75 in) | |
| (Height x Width x Depth) | | |
| Weight | 0.41 kg (0.9 lb) | |
| Housing | Cast aluminium enclosure | |
| Finish | Powder-coated silver gray matte | |
| Operating Temperature | -40 to 50 °C (-40 to 122 °F) | |

Dimensions



Certification and Safety

| Contification III (a) II ECC | et Location |
|------------------------------|-------------|
| Certification UL/cUL, FCC | Class A, CE |

Part Numbers

Use Item Number when ordering in North America.

| Associated Part | Item Number | ltem 12NC |
|---|---------------|--------------|
| Wiring Compartment, 4 in Diameter, Silver/Gray Housing (CE) | 106-000011-42 | 910503703277 |



 \circledcirc 2024 Signify Holding. All rights reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed.